

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

PPLICATION NO.	F	ILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
09/961,287		09/25/2001	Tatsuo Uchida	2224-0189Р	5315
2292	7590	08/04/2004		EXAMINER	
		KOLASCH & BIR	RUDE, TIMOTHY L		
PO BOX 747 FALLS CHURCH, VA 22040-0747				ART UNIT	PAPER NUMBER
				2883	
			DATE MAILED: 08/04/2004		

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	09/961,287	UCHIDA ET AL.				
Office Action Summary	Examiner	Art Unit				
	Timothy L Rude	2883				
The MAILING DATE of this communication apportunity of the second seco	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	6(a). In no event, however, may a reply be tim within the statutory minimum of thirty (30) days ill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 26 Ma	a <u>y 2004</u> .					
2a)⊠ This action is FINAL . 2b)□ This	action is non-final.					
3) Since this application is in condition for allowan closed in accordance with the practice under E.						
Disposition of Claims						
4) ☐ Claim(s) 1-6 and 11-13 is/are pending in the ap 4a) Of the above claim(s) is/are withdraw 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-6 and 11-13 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	n from consideration.					
Application Papers						
9)☐ The specification is objected to by the Examiner	:					
[0]☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.						
Applicant may not request that any objection to the o	•	, ,				
Replacement drawing sheet(s) including the correction 11) The oath or declaration is objected to by the Example 11.						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priority application from the International Bureau * See the attached detailed Office action for a list of	have been received. have been received in Application ity documents have been received (PCT Rule 17.2(a)).	on No ed in this National Stage				
Attachment(s)						
1)	4) 🔲 Interview Summary Paper No(s)/Mail Da					
Paper No(s)/Mail Date		atent Application (PTO-152)				

Art Unit: 2883

DETAILED ACTION

Claims

1. Claims 1, 3, and 4 are amended necessitating new grounds of rejection.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1-6 and 11-13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Honda et al (Honda) USPAT 5,851,700.

As to claim 1, Honda teaches nine examples of one embodiment of a light-scattering sheet comprising a light-scattering layer which comprises a plurality of resins (col. 3, lines 1-22) varying in refractive index (col. 3, lines 5-8) and scatters an incident light isotropically (specified haze is not anisotropic, col. 4, lines 29-65), and has \underline{a} domain gap of 1 to 20 μ m providing smooth diffusion (col. 4, lines 53-55) of light (overlaps Applicant's regular phase separation structure having an average interphase distance of 3 to 15 μ m).

Art Unit: 2883




FIG. I

The light-scattering layer of Honda has a phase separation structure composed of a plurality of resins varying in refractive index, and has a structure formed by irradiating UV light (col. 4, lines 5-8) (Applicant's spinodal decomposition, per specification page 31, lines 14-25) which would result in a bicontinuous phase structure per Applicant's enabling disclosure (Specification page 31, line 15 through page 36, line 6).

Honda discloses that the light-scattering layer preferably has a haze between 30% and 85% which equates to a ratio of a linearly transmitted light to an incident light of 15 to 70 % (overlaps Applicant's range of 0.1 to 15 %) (col. 4, lines 29-44), to widen the viewing angle, decrease the shadow area, and reduce Moiré effects which results in better display performance (col. 2, lines 20-25).

Honda does not explicitly disclose dry spinodal decomposition <u>by heating</u> or wet spinodal decomposition <u>by evaporating or removing a solvent</u>. However, Applicant's recitations as to formation by dry spinodal decomposition by heating or wet spinodal

Art Unit: 2883

decomposition by evaporating or removing a solvent are product by process limitations that are considered to not further limit the resulting structure of the claimed <u>device</u> because Honda discloses one of the methods taught in the instant Application (pages 31-36) which are enable by Applicant's Specification to make the claimed <u>structure</u>.

Honda is evidence that ordinary workers in the art of liquid crystals would find the reason, suggestion, or motivation to use a ratio of a linearly transmitted light to an incident light of 15% or less to widen the viewing angle, decrease the shadow area, and reduce Moiré effects which results in better display performance.

Therefore, it would have been obvious to one having ordinary skill in the art of liquid crystals at the time the invention was made to use a layer with a ratio of a linearly transmitted light to an incident light of 15% or less to widen the viewing angle, decrease the shadow area, and reduce Moiré effects which results in better display performance.

As to claims 2-4, Honda teaches a light-scattering sheet with the structure of claim 1 and having a thickness of 50 to 300 μ m (overlaps Applicant's Examples, specification pages 44-48) wherein the light-scattering layer would express a light-scattering intensity profile having substantially flat area at ranges of scattering angle θ within the range 3 to 25° from a scattering center as a function of its structure, per Applicant's enabling disclosure. Applicant teaches methods which result in the claimed structure and Honda teaches one such method.

Art Unit: 2883

As to claim 5, Honda teaches a light-scattering sheet according to Claim 1, wherein the light-scattering layer has a phase separation structure composed of a plurality of resins varying in refractive index, and has a structure formed by irradiating UV light (col. 4, lines 5-8) (Applicant's spinodal decomposition, per specification page 31, lines 14-25) which would result in a bicontinuous phase or an intermediate structure between the bicontinuous phase structure and a droplet phase structure per Applicant's enabling disclosure (Specification page 31, line 15 through page 36, line 6).

As to claim 6, Honda teaches his one embodiment of a light-scattering sheet is for a LCD (Title) broadly, which includes transmissive and reflective LCDs comprising transparent or reflective supports with the light-scattering layer formed on at least one side of the support.

As to claim 11, Honda provides numerous examples of applicable resins (col. 3, lines 9-22) and further teaches that a light-scattering layer may comprise any photopolymerizable monomers or oligomers (col. 3, lines 23-28) so long as they have refractive indexes which differ from each other by 0.01 or larger (Applicant's a first resin selected from the group consisting of a cellulose derivative and a (meth)acrylic resin, and a second resin selected from the group consisting of a styrenic resin, an alicyclic olefinic resin, a polycarbonate-series resin and a polyester-series resin).

Art Unit: 2883

As to claim 12 Honda teaches a light-scattering sheet wherein the weight ratio of the first resin to the second resin (col. 10, lines 40-43 and lines 59-62) is 9:1 to 1:9 (Applicant's 10/90 to 90/10).

As to claim 13, Honda teaches a light-scattering sheet as claimed above wherein the fluctuation width of light-scattering intensity in the flat area would be 0 to 20 when a maximum light-scattering intensity is 100 per Applicant's enabling disclosure.

Response to Arguments

3. Applicant's arguments filed on 02 October 2003 have been fully considered but they are not persuasive.

Applicant's ONLY arguments are as follows:


- (1) Honda fails to teach regularity of phase separation structure.
- (2) Since Honda discloses photopolymerization and curing with UV light, Honda fails to teach or suggest wet spinodal decomposition as claimed.
 - (3) Dependent claims are allowable due to allowability of base claims.

Examiner's responses to Applicant's ONLY arguments are as follows:

(1) It is respectfully pointed out that Applicant's enabling disclosure (Specification page 31, line 15 through page 36, line 6) teaches a number of methods

Art Unit: 2883

may be used to make the claimed invention, including the method disclosed by Honda. Examiner has considered Applicant's disclosure to be enabling, and therefore the method of Honda satisfies the steps of Applicant's ultraviolet polymerization method (Specification page 31, lines 18-24). Applicant has not cited any method as being a best mode, so Examiner considers all methods to be substantially equal on their merits. Examiner was not able to find any specific steps in Applicant's method of making that are directly attributable to the formation of "regular" phase separation structure that is not taught by Honda. Also, Applicant has not disclosed any difference in the structure produced as a function of the methods taught. Furthermore, Applicant's Figure 3 indicates Applicant's structure is no more regular than one would expect from the invention of Honda. Honda contrasts his invention from the regularity of a phase lattice that is known in the art to be very regular, unlike Applicant's Figure 3:



(2) It is respectfully pointed out that of Honda satisfies the steps of Applicant's ultraviolet (UV light) polymerization method (Specification page 31, lines 18-24).

Art Unit: 2883

Furthermore, since Honda satisfies one of the <u>equivalent</u> methods disclosed by Applicant, the wet method steps are not considered to further limit the structural limitations of the device claims.

(3) In so far as Applicant has not argued rationale for rejection of dependent claim limitations and has thereby acquiesced to rejection of said dependent claims.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Art Unit: 2883

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Timothy L Rude whose telephone number is (571) 272-2301. The examiner can normally be reached on Monday through Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Frank Font can be reached on (571) 272-2415. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

tlr

In Rude

Timothy L Rude Examiner Art Unit 2883

Frank G. Font Supervisory Patent Examiner Technology Center 2800

Frank I Fort